

AMENDMENTS TO THE CLAIMS

1. (Currently Amended): A composition for keratin materials, comprising:
 - (a) at least one non-volatile hydrocarbon-based oil with a molecular mass ranging from 230 to 420 g/Mol;
 - (b) at least one non-volatile silicone compound which is compatible with the non-volatile hydrocarbon-based oil, wherein said non-volatile silicone compound is present in an amount by mass of from 5 % to 60 %, based on the total mass of said composition;
 - (c) from about 0.1 % to about 30 % by weight of the total weight of said composition of an inert particulate phase; and
 - (d) at least one volatile oil, wherein said volatile oil is present in an amount insufficient to cause at least one condition selected from the group consisting of a matte appearance, the sensation of dryness, the sensation of tautness and the sensation of discomfort on the keratin material after application of said composition to the keratin material.
2. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil has a molecular mass ranging from 240 to 350 g/Mol.
3. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil has a molecular mass ranging from 240 to 300 g/Mol.
4. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil has a molecular mass ranging from 240 to 280 g/Mol.
5. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is an ester.

6. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is an ester of a C₂ to C₁₈ acid.

7. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of esters of C₂ to C₂₀ alcohols and esters of C₂ to C₈ polyols, and mixtures thereof.

8. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is a branched acid ester.

9. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of neopentanoic acid esters, isononanoic acid esters, and mixtures thereof.

10. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of isodecyl neopentanoate, isotridecyl neopentanoate, isostearyl neopentanoate, octyldodecyl neopentanoate, isononyl isononanoate, octyl isononanoate, isodecyl isononanoate, isotridecyl isononanoate, isostearyl isononanoate, and mixtures thereof.

11. (Original): The composition according to Claim 1, further comprising a dispersant, wherein said dispersant comprises at least one non-volatile hydrocarbon-based compound which is compatible with said non-volatile hydrocarbon-based oil and is incompatible with said non-volatile silicone compound.

12. (Original): The composition according to Claim 11, wherein said dispersant has solubility parameters such that $16.40 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 19.00 (\text{J}/\text{cm}^3)^{1/2}$ and $2.00 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 9.08 (\text{J}/\text{cm}^3)^{1/2}$.

13. (Original): The composition according to Claim 11, wherein said dispersant has solubility parameters such that $16.70 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 18.50 (\text{J}/\text{cm}^3)^{1/2}$.


14. (Original): The composition according to Claim 11, wherein said dispersant has solubility parameters such that $4.00 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 9.08 (\text{J}/\text{cm}^3)^{1/2}$.

15. (Original): The composition according to Claim 11, wherein said dispersant has solubility parameters such that $5.00 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 6.80 (\text{J}/\text{cm}^3)^{1/2}$.

16. (Original): The composition according to Claim 11, wherein said dispersant has a molar mass greater than 600 g/Mol.


17. (Original): The composition according to Claim 11, wherein said dispersant has a molar mass greater than 700 g/Mol.

18. (Original): The composition according to Claim 11, wherein said dispersant has a chemical structure comprising at least one nonionic polar group selected from the group consisting of $-\text{COOH}$; $-\text{OH}$;





$-\text{NHR}$, wherein R represents a linear or branched C_1 to C_{20} alkyl or alkoxy radical;

$-\text{NR}_1\text{R}_2$ wherein R_1 and R_2 each independently represents a linear or branched C_1 to C_{20} alkyl or alkoxy radical or R_1 and R_2 together can form a ring; and



wherein R_1' and R_2' each independently may be equal to H or to a linear or branched C_1 to C_{20} alkyl or alkoxy chain.

19. (Original): The composition according to Claim 11, wherein said non-volatile hydrocarbon-based compound has a chemical structure comprising at least one nonionic polar group selected from the group consisting of $-\text{COOH}$; $-\text{OH}$;



wherein R_1' and R_2' each independently may be equal to H or to a linear or branched C_1 to C_{20} alkyl or alkoxy chain.

20. (Original): The composition according to Claim 11, wherein said non-volatile hydrocarbon-based compound is selected from the group consisting of diisostearyl malate, polyol monoesters and polyesters and poly(12-hydroxystearic acids), and mixtures thereof.

21. (Original): The composition according to Claim 11, wherein said dispersant is present in an amount by mass ranging from 2 % to 40 %, based on the total weight of said composition.

22. (Original): The composition according to Claim 11, wherein said dispersant is present in an amount by mass ranging from 2.5 % to 20 %, based on the total weight of said composition.

23. (Original): The composition according to Claim 11, wherein said dispersant is present in an amount by mass ranging from 3 % to 10 %, based on the total weight of said composition.

24. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound is a compound which is liquid at room temperature.

25. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound has a viscosity within the range from 5 to 1,000,000 cSt at 25 °C.

26. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound has a viscosity within the range from 10 to 500,000 cSt.

27. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound has a viscosity within the range from 10 to 5,000 cSt.

28. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound is selected from the group consisting of non-volatile polydimethylsiloxanes (PDMSs); polydimethylsiloxanes comprising alkyl, alkoxy or phenyl groups that are pendent or at the end of a silicone chain, these groups containing from 2 to 24 carbon atoms; phenyl trimethicones, phenyl dimethicones, phenyl trimethylsiloxydiphenylsiloxanes, diphenyl dimethicones, diphenyl methyl diphenyl trisiloxanes and 2-phenylethyl trimethylsiloxysilicates; fluorosilicones comprising a fluoro group which is pendent or at the end of a silicone chain and containing from 1 to 12 carbon atoms, all or some of the hydrogen atoms of which are

replaced with fluorine atoms; silicone resins; silicone gums; dimethiconols; and mixtures thereof.

29-30. (Canceled):

31. (Original): The composition according to Claim 1, wherein said non-volatile silicone compound is present in an amount by mass of from 10 % to 50 %, based on the total mass of said composition.

32. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is present in an amount by mass of from 5 % to 99 %, based on the total mass of said composition.

33. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is present in an amount by mass of from 10 % to 60 %, based on the total mass of said composition.

34. (Original): The composition according to Claim 1, wherein said non-volatile hydrocarbon-based oil is present in an amount by mass of from 15 % to 50 %, based on the total mass of said composition.

35. (Previously Presented): The composition according to Claim 1, further comprising at least one ingredient selected from the group consisting of active agents, dyestuffs, and mixtures thereof.

36. (Original): The composition according to Claim 11, wherein the ratio by mass of said non-volatile silicone compound relative to said dispersant is greater than or equal to 1.

37. (Original): The composition according to Claim 1, further comprising at least one fatty substance other than the non-volatile silicone compound, the non-volatile hydrocarbon-based oil and the dispersant, which is selected from the group

consisting of waxes, gums, fatty substances that are pasty at room temperature, and oils, and mixtures thereof.

38. (Original): The composition according to Claim 35, wherein said dyestuffs comprise at least one pulverulent dye compound chosen from pigments and nacles, and mixtures thereof.

39. (Original): The composition according to Claim 34, wherein said pulverulent dye compound is present in an amount up to 50 % by weight of the total weight of said composition.

40. (Original): The composition according to Claim 1, wherein said particulate phase contains at least one absorbent or non-absorbent inert filler.

41. (Original): The composition according to Claim 40, wherein said inert filler is selected from the group consisting of spherical fillers, lamellar fillers, oblong fillers, and mixtures thereof.

42. (Original): The composition according to Claim 40, wherein said inert filler is selected from the group consisting of talc, mica, silica, kaolin, polyamide powders, poly- β -alanine powder, polyethylene powder, polytetrafluoroethylene powders, lauroyllysine, starch, boron nitride, hollow polymer microspheres, acrylic acid copolymers, silicone resin microbeads, precipitated calcium carbonate, magnesium carbonate, magnesium hydrocarbonate, hydroxyapatite, hollow silica microspheres, glass microcapsules, ceramic microcapsules, and mixtures thereof.

43. (Canceled).

44. (Original): The composition according to Claim 40, wherein said inert particulate phase is present in an amount of from 2 % to 25 %, by weight of the total weight of said composition.

45. (Original): The composition according to Claim 40, wherein said inert particulate phase is present in an amount of from 10 % to 20 %, by weight of the total weight of said composition.

46. (Original): The composition according to Claim 1, which is free of a volatile silicone.

47. (Previously Presented): The composition according to Claim 62, which is free of a volatile oil.

48. (Original): The composition according to Claim 1, which is in the form of a stick or tube, in the form of a soft paste, in the form of a dish, an oily gel, an oily liquid, a vesicular dispersion containing ionic and/or nonionic lipids, or a water-in-oil or oil-in-water emulsion.

49. (Original): The composition according to Claim 1, which is in anhydrous form.

50. (Original): The composition according to Claim 1, which is a make-up composition.

51. (Original): The composition according to Claim 1, which is in the form of a foundation, a blusher, an eyeshadow, a lipstick, a care base or care balm for the lips, a concealer product, an eyeliner or a mascara.

52. (Currently Amended): A lipstick, comprising:

(a) at least one non-volatile hydrocarbon-based oil with a molar mass ranging from 230 to 420 g/Mol;

(b) at least one non-volatile silicone compound which is soluble or dispersible in the non-volatile hydrocarbon-based oil, wherein said non-volatile silicone compound is present in an amount by mass of from 5 % to 60 %, based on the total mass of said composition;

(c) from about 0.1 % to about 30 % by weight of the total weight of said composition of an inert particulate phase; and

(d) at least one volatile oil, wherein said volatile oil is present in an amount insufficient to cause at least one condition selected from the group consisting of a matte appearance, the sensation of dryness, the sensation of tautness and the sensation of discomfort on the keratin material after application of said composition to the keratin material.

53. (Withdrawn): A method for caring for or making-up the lips or the skin, said method comprising applying to the lips or the skin ~~a cosmetic~~ the composition of claim 1, ~~said cosmetic composition comprising:~~

~~—— (a) at least one non-volatile hydrocarbon-based oil with a molar mass ranging from 230 to 420 g/Mol;~~

~~—— (b) at least one non-volatile silicone compound which is soluble or dispersible in the non-volatile hydrocarbon-based oil;~~

~~—— (c) from about 0.1 % to about 30 % by weight of the total weight of said composition of an inert particulate phase; and~~

~~—— (d) at least one volatile oil, wherein said volatile oil is present in an amount insufficient to cause at least one condition selected from the group consisting of a matte appearance, the sensation of dryness, the sensation of tautness and the sensation of discomfort on the keratin material after application of said composition to the keratin material.~~

54. (Withdrawn): The method according to Claim 53, wherein said composition further comprises a dispersant, said dispersant comprising at least one non-volatile hydrocarbon-based compound with solubility parameters such that $16.40 \text{ (J/cm}^3\text{)}^{1/2} \leq \delta_D \leq 19.00 \text{ (J/cm}^3\text{)}^{1/2}$ and $2.00 \text{ (J/cm}^3\text{)}^{1/2} \leq \delta_D \leq 9.08 \text{ (J/cm}^3\text{)}^{1/2}$.

55. (Withdrawn): A method for reducing or even preventing altogether the transfer of a film of composition deposited on the skin and/or the lips of a human being to a support placed in contact with the film and/or for preserving its gloss and/or for making this film comfortable to wear and/or for increasing the staying power of the film over time and/or for reducing its migration, said method comprising applying to the lips or the skin ~~a cosmetic~~ the composition of claim 1 to form said film, ~~said cosmetic composition comprising:~~

~~—— (a) at least one non-volatile hydrocarbon-based oil with a molar mass ranging from 230 to 420 g/Mol;~~

~~—— (b) at least one non-volatile silicone compound which is soluble or dispersible in the non-volatile hydrocarbon-based oil;~~

~~—— (c) from about 0.1 % to about 30 % by weight of the total weight of said composition of an inert particulate phase; and~~

~~—— (d) at least one volatile oil, wherein said volatile oil is present in an amount insufficient to cause at least one condition selected from the group consisting of a~~

~~matte appearance, the sensation of dryness, the sensation of tautness and the sensation of discomfort on the keratin material after application of said composition to the keratin material.~~

56. (Withdrawn): The method according to Claim 55, wherein said composition is free of a volatile silicone oil.

57. (Withdrawn): The method according to Claim 55, characterized in that the composition also contains a dispersant comprising at least one non-volatile hydrocarbon-based compound with solubility parameters such that $16.40 \text{ (J/cm}^3)^{1/2} \leq \delta_D \leq 19.00 \text{ (J/cm}^3)^{1/2}$ and $2.00 \text{ (J/cm}^3)^{1/2} \leq \delta_D \leq 9.08 \text{ (J/cm}^3)^{1/2}$.

58. (Previously Presented): The composition according to Claim 1, further comprising at least one dyestuff.

59. (Previously Presented): The composition according to Claim 52, further comprising at least one dyestuff.

60. (Withdrawn): The ~~composition~~ method according to Claim 53, wherein the composition further comprising comprises at least one dyestuff.

61. (Withdrawn): The ~~composition~~ method according to Claim 55, wherein the composition further comprising comprises at least one dyestuff.

62. (Currently Amended): A composition for keratin materials, comprising:

(a) at least one non-volatile hydrocarbon-based oil with a molecular mass ranging from 230 to 420 g/Mol;

(b) at least one non-volatile silicone compound which is compatible with the non-volatile hydrocarbon-based oil, wherein said non-volatile silicone compound is present in an amount by mass of from 5 % to 60 %, based on the total mass of said composition;

(c) from about 0.1 to about 30% by weight of the total weight of the composition of an inert particulate phase; and

(d) from 0 to about 5% by weight of the total weight of the composition of a volatile oil.

63. (Previously Presented): The composition according to Claim 22, further comprising at least one dyestuff.

64. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil has a molecular mass ranging from 240 to 350 g/Mol.

65. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is an ester of a C₂ to C₁₈ acid.

66. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of esters of C₂ to C₂₀ alcohols and esters of C₂ to C₈ polyols, and mixtures thereof.

67. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is a branched acid ester.

68. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of neopentanoic acid esters, isononanoic acid esters, and mixtures thereof.

69. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is selected from the group consisting of isodecyl neopentanoate, isotridecyl neopentanoate, isostearyl neopentanoate, octyldodecyl neopentanoate, isononyl isononanoate, octyl isononanoate, isodecyl isononanoate, isotridecyl isononanoate, isostearyl isononanoate, and mixtures thereof.

70. (Previously Presented): The composition according to Claim 62, further comprising a dispersant, wherein said dispersant comprises at least one non-volatile hydrocarbon-based compound which is compatible with said non-volatile hydrocarbon-based oil and is incompatible with said non-volatile silicone compound.

71. (Previously Presented): The composition according to Claim 70, wherein said dispersant has solubility parameters such that $16.40 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 19.00 (\text{J}/\text{cm}^3)^{1/2}$ and $2.00 (\text{J}/\text{cm}^3)^{1/2} \leq \delta_D \leq 9.08 (\text{J}/\text{cm}^3)^{1/2}$.

72. (Previously Presented): The composition according to Claim 70, wherein said dispersant has a molar mass greater than 600 g/Mol.

73. (Previously Presented): The composition according to Claim 70, wherein said non-volatile hydrocarbon-based compound is selected from the group consisting of diisostearyl malate, polyol monoesters and polyesters and poly(12-hydroxystearic acids), and mixtures thereof.

74. (Previously Presented): The composition according to Claim 70, wherein said dispersant is present in an amount by mass ranging from 2 % to 40 %, based on the total weight of said composition.

75. (Previously Presented): The composition according to Claim 70, wherein said dispersant is present in an amount by mass ranging from 2.5 % to 20 %, based on the total weight of said composition.

76. (Previously Presented): The composition according to Claim 70, wherein said dispersant is present in an amount by mass ranging from 3 % to 10 %, based on the total weight of said composition.

77. (Previously Presented): The composition according to Claim 62, wherein said non-volatile silicone compound is a compound which is liquid at room temperature.

78. (Previously Presented): The composition according to Claim 62, wherein said non-volatile silicone compound has a viscosity within the range from from 10 to 5,000 cSt.

79. (Previously Presented): The composition according to Claim 62, wherein said non-volatile silicone compound is selected from the group consisting of non-volatile polydimethylsiloxanes (PDMSs); polydimethylsiloxanes comprising alkyl, alkoxy or phenyl groups that are pendent or at the end of a silicone chain, these groups containing from 2 to 24 carbon atoms; phenyl trimethicones, phenyl dimethicones, phenyl trimethylsiloxydiphenylsiloxanes, diphenyl dimethicones, diphenyl methyl diphenyltrisiloxanes and 2-phenylethyl trimethylsiloxysilicates; fluorosilicones comprising a fluoro group which is pendent or at the end of a silicone chain and containing from 1 to 12 carbon atoms, all or some of the hydrogen atoms of which are replaced with fluorine atoms; silicone resins; silicone gums; dimethiconols; and mixtures thereof.

80. (Canceled):

81. (Previously Presented): The composition according to Claim 62, wherein said non-volatile silicone compound is present in an amount by mass of from 10 % to 50 %, based on the total mass of said composition.

82. (Previously Presented): The composition according to Claim 62, wherein said non-volatile hydrocarbon-based oil is present in an amount by mass of from 15 % to 50 %, based on the total mass of said composition.

83. (Previously Presented): The composition according to Claim 1, further comprising at least one ingredient selected from the group consisting of active agents, dyestuffs, and mixtures thereof.

84. (Previously Presented): The composition according to Claim 70, wherein the ratio by mass of said non-volatile silicone compound relative to said dispersant is greater than or equal to 1.

85. (Previously Presented): The composition according to Claim 83, wherein said dyestuffs comprise at least one pulverulent dye compound chosen from pigments and nacles, and mixtures thereof.

86. (Previously Presented): The composition according to Claim 85, wherein said pulverulent dye compound is present in an amount up to 50 % by weight of the total weight of said composition.

87. (Previously Presented): The composition according to Claim 62, wherein said particulate phase contains at least one absorbent or non-absorbent inert filler.

88. (Previously Presented): The composition according to Claim 87, wherein said inert filler is selected from the group consisting of spherical fillers, lamellar fillers, oblong fillers, and mixtures thereof.

89. (Previously Presented): The composition according to Claim 62, wherein said inert particulate phase is present in an amount of from 2 % to 25 %, by weight of the total weight of said composition.

90. (Previously Presented): The composition according to Claim 62, wherein said inert particulate phase is present in an amount of from 10 % to 20 %, by weight of the total weight of said composition.

91. (Previously Presented): The composition according to Claim 1, which is free of a volatile silicone.

92. (Previously Presented): The composition according to Claim 62, which is in anhydrous form.

93. (Previously Presented): The composition according to Claim 62, which is a make-up composition.

94. (Previously Presented): The composition according to Claim 62, which is in the form of a foundation, a blusher, an eyeshadow, a lipstick, a care base or care balm for the lips, a concealer product, an eyeliner or a mascara.

95. (Previously Presented): The composition according to Claim 62, which is in the form of a lipstick.

96. (Previously Presented): The composition according to Claim 1, wherein the composition comprises less than about 5% by weight with respect to the total weight of the composition of volatile oil.

97. (Previously Presented): The composition according to Claim 52, wherein the composition comprises less than about 5% by weight with respect to the total weight of the composition of volatile oil.

98. (New): The composition according to Claim 1, wherein the composition is transfer-resistant.

99. (New): The lipstick according to Claim 52, wherein the lipstick is transfer-resistant.

100. (New): The composition according to Claim 62, wherein the composition is transfer-resistant.

101. (New): A transfer-resistant composition comprising:

(a) at least one non-volatile hydrocarbon-based oil with a molecular mass ranging from 230 to 420 g/Mol;

(b) at least one non-volatile silicone compound which is compatible with the non-volatile hydrocarbon-based oil;

(c) from about 0.1 to about 30% by weight of the total weight of the composition of an inert particulate phase; and

(d) from 0 to about 5% by weight of the total weight of the composition of a volatile oil.

102. (New): The composition according to Claim 101, wherein the composition is a lipstick.